


Nitrile Examination Gloves KG-1101



Powder Free

Textured Fingertips

Beaded Cuff

Chlorinated

Product Specifications

Material	100% Nitrile, Sulphur and Pigments
Grade	Medical Grade
Color	Blue
Cuff	Beaded Cuff
Powder content	Powder-Free
Surface finish	Textured Fingertips, Surface-Chlorinated
Freedom from holes(Inspection level I)	1.5 AQL
Glove length(mm/inches) min	240 / 9.5
Breakag force(before aging)	Medium value $\geq 6N$
Breakag force(after aging)	Medium value $\geq 6N$
Application Temperature	$\leq 40^{\circ}C$
Shelf Life	3 Years







EU Specification

Size	Palm Thickness (mm/mil)	Finger thickness (mm/mil)	Median Length (mm)	Median Width (mm)	Unit Weight (gram)
S	0.06 \pm 0.02/2.4 \pm 0.8	0.1 \pm 0.02/4.0 \pm 0.8	≥ 240	80 \pm 10	3.5 \pm 0.3
M	0.06 \pm 0.02/2.4 \pm 0.8	0.1 \pm 0.02/4.0 \pm 0.8	≥ 240	95 \pm 10	3.7 \pm 0.3
L	0.06 \pm 0.02/2.4 \pm 0.8	0.1 \pm 0.02/4.0 \pm 0.8	≥ 240	110 \pm 10	4.0 \pm 0.3
XL	0.06 \pm 0.02/2.4 \pm 0.8	0.1 \pm 0.02/4.0 \pm 0.8	≥ 240	≥ 110	4.3 \pm 0.3

KINGFA Nitrile Gloves Selection Guide

There are many tests and standards that apply to KINGFA Nitrile Gloves.

The following section outlines the different options available to help you select products.

Quality Standard		KINGFA REF					
							
		RT021	KG1101	KG1801	KG1802	KG1301	KG1303
EU Standard	EN374 1-5 , TYPE B		●		●	●	●
	EN374 1-5 , TYPE C	●					
	EN455 1-4	●	●	●	●		●
	EN1186	●	●		●	●	●
US Standard	ASTM D6319		●	●	●		
	ASTM D6978			●	●		
	ASTM F1671		●	●	●		
	FDA C.F.R21	●	●		●	●	●
Others	Japan Notification 370	●	●		●	●	●
	German LFGB	●	●		●	●	●
FDA 510K			●	●	●		●
CE		●	●	●	●	●	●

EU Standard

EN374: Protective gloves against dangerous chemicals and micro-organisms

-Type A: Protective glove with permeation resistance of at least 30 minutes each for at least 6 test chemicals.

-Type B: Protective glove with permeation resistance of at least 30 minutes each for at least 3 test chemicals.

-Type C: Protective glove with permeation resistance of at least 10 minutes for at least 1 test chemical.

EN455: Medical gloves for single-use

EN1186: Materials and articles in contact with foodstuffs - Plastics

US Standard

ASTM D6319: Standard Specification for Nitrile Examination Gloves for Medical Application

ASTM D6978: Standard Practice for Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs

ASTM F1671: Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System

FDA C.F.R21: Test for Compliance With the Selected Requirements in U.S.F.D.A.C.F.R.21.Part 177.2600








































Others




Japan Notification 370: Standards and Testing Method for Foodstuffs, Implements, Containers and Packaging, Toys

Detergents 2008, II. Standards (Notification No.370, issued by the Ministry of Health and Welfare of Japan, dated in 1959)

German LFGB: German Food & Feed Acts LFGB(30&31) and Regulation(EC) No.1935/2004

Nitrile Gloves Chemical Resistance Guide

	Chemical Name	KINGFA Nitrile Gloves		Chemical Name	KINGFA Nitrile Gloves
A	Ammonium Fluoride			Hydrogen Peroxide, 30%	
	Acetic Acid		I	Isobutyl Alcohol	
	Acetonitrile			Isopropyl Alcohol	
	Ammonium Hydroxide		K	Kerosene	
	Acetaldehyde		M	Maleic Acid, saturated	
Aniline		Methyl Alcohol			
B	Butyl Acetate			Methylene Chloride	
	Butyl Alcohol		N	Nitric Acid, 10%	
	Butyl Cellosolve			O	Octyl Alcohol
C	Citric Acid, 10%		P	Perchloroethylene	
	Cyclohexanol			Phenol	
D	Dimethyl Sulfoxide			Propyl Alcohol	
E	Ethanolamine		S	Sodium Hydroxide, 50%	
	Ethylene Glycol			Stoddard Solvent	
	Ethyl Alcohol			Sulfuric Acid, 47%	
	Ethyl Ether		T	Tricresyl Phosphate	
	Ethyl Acetate			Triethanolamine, 85%	
		Ethylene Dichloride		X	Xylene, Xylol
F	Formaldehyde				
G	Gasoline				
H	Hexane				
	Hydrazine				
	Hydrochloric Acid, cone.				

	<i>Good for total immersion</i>
	<i>Good for accidental splash protection and intermittent contact</i>
	<i>Good for accidental splash protection and intermittent contact</i>

Packaging Information

Exterior Design

100 pcs/box

Size 225*120*63mm



Carton Design

10 boxes/carton

Size: 330*250*240mm



Container Loading

(For Reference Only/Without Pallets)

20GP 1450 cartons

40GP 2900 cartons

40HQ 3400 cartons



Otelfingerstrasse 44
5430 Wettingen
Switzerland

Tel. +41 56 430 02 34
info@abmsolutions.ch



Linkernweg 2
79761 Waldshut-Tiengen
Germany

Tel. +49 7741 640 93 89
info@abmhandelsagentur.de